

Produced with support of  
**The Dutch Government**  
Sponsored  
Collaborative Seed Project (CSP)



**GUIDELINES  
AND  
MANUAL**  
FOR  
**POTATO SEED CERTIFICATION**  
FOR NASC  
**AUTHORIZED AGENTS**  
IN NIGERIA

**NOVEMBER, 2023**





## GUIDELINES AND MANUAL FOR POTATO SEED CERTIFICATION FOR NASC AUTHORIZED AGENTS IN NIGERIA

Km 29, Abuja-Lokoja Expressway  
Sheda, FCT  
Tel: +2348113887697  
Email: [info@seedcouncil.gov.ng](mailto:info@seedcouncil.gov.ng)

NOVEMBER, 2023


SPONSORED BY THE DUTCH GOVERNMENT  
FUNDED BY COLLABORATIVE SEED PROJECT (CSP)

## TABLE OF CONTENTS

COVER PAGE .....	1
TABLE OF CONTENTS .....	2
PREFACE.....	5
LIST OF ACRONYMS AND ABBREVIATIONS.....	6
1.0 DEFINITION OF TERMS .....	7
PART I.....	9
2.0 INTRODUCTION .....	9
2.1 Background Information.....	9
2.2 Objective of Private Seed Certification .....	9
2.3 Framework of the Guideline .....	10
2.4 General Information .....	11
3.0 GENERAL GUIDELINES FOR AUTHORIZATION.....	13
3.1 Areas Covered Under the Guideline .....	13
3.2 Scope of Authorization.....	13
4.0 ELIGIBLE ENTITIES.....	14
5.0 CONDITIONS FOR AUTHORIZATION OF LSI/LSA.....	15
5.1 Minimum Qualifications .....	15
5.1.1 Academic.....	15
5.1.2 Technical and professional .....	15
5.1.3 Integrity.....	15
5.2 Training on Seed Inspection/Sampling/Testing.....	15
5.2.1 Examinations/Assessment. ....	15
5.2.2 Attachment.....	15
6.0 AUTHORIZATION.....	16
7.0 MAINTENANCE OF KNOWLEDGE AND SKILLS .....	17
8.0 SURVEILLANCE AND AUDIT PROCEDURES .....	18
8.1 Documentation check .....	18
8.2 Spot inspections .....	18
8.3 Check Sampling.....	18
8.4 Check testing .....	18
8.5 Proficiency laboratory test.....	18
8.6 Pre and Post control .....	18
8.7 Audits.....	18
9.0 RE-EXAMINATION .....	19
10.0 SUSPENSION/WITHDRAWAL OF AUTHORIZATION .....	20
11.0 APPEALS.....	21
12.0 ABSOLUTION FROM LIABILITY .....	22
13.0 SPECIFIC GUIDELINES.....	23
13.1 Criteria for Authorizing LSI .....	23
13.1.1 Training .....	23

13.1.2	Knowledge and skills required.....	23
13.1.2.1	Knowledge of:.....	23
13.1.2.2	Skills in: .....	23
13.1.2.3	Sampling equipment.....	23
13.1.3	Examinations and competence assessment.....	23
13.1.4	Field attachment.....	23
13.1.5	Maintenance of Knowledge and Skills .....	23
13.1.6	Surveillance and Audit Procedures.....	24
13.1.7	Withdrawal of authorization.....	24
13.2	Criteria for Authorizing Seed Testing Laboratories .....	24
13.2.1	Training .....	24
13.2.2	Knowledge and skill requirements .....	24
13.2.3	Competence assessment .....	25
13.2.4	Attachment .....	25
13.2.5	Maintenance of knowledge and skills .....	25
13.2.6	Surveillance and audit procedures .....	25
13.2.7	Withdrawal of Authorization .....	26
13.3	Criteria for Authorization of ASCC .....	26
13.3.1	Independence .....	26
13.3.2	Personnel .....	26
13.3.3	Knowledge and skill requirements .....	26
13.3.4	Competence assessment .....	26
13.3.5	Maintenance of knowledge and skills .....	26
13.3.6	Surveillance and Audit Procedures.....	27
13.3.7	Withdrawal of authorization.....	27
14.0.	POWERS OF LSI.....	28
	PART II.....	29
	MINIMUM POTATO SEED CERTIFICATION STANDARD .....	29
15.0	ELIGIBILITY OF CROP VARIETIES FOR CERTIFICATION .....	29
16.0	CLASSES AND SOURCES OF SEED .....	29
16.1	Breeder Seed.....	29
16.2	Foundation Seed.....	29
16.3	Certified Seed.....	30
17.0	PHASES OF CERTIFICATION.....	31
17.1	Certification Tag Colour.....	31
18.0	APPLICATION AND AMPLIFICATION OF IRISH POTATO ( <i>Solanum tuberosum</i> L.) CERTIFICATION STANDARDS.....	32
18.1	Land Requirements .....	32
18.2	Field Inspection.....	32
18.3	Isolation Requirements .....	32
18.4	Specific Field Standards .....	33

18.5	Seed Standards .....	33
18.6	Important Considerations .....	33
19.0	APPLICATION AND AMPLIFICATION OF SWEET POTATO ( <i>Ipomoea batatas</i> L.)	
	Schott. CERTIFICATION STANDARDS.....	36
19.1	Land Requirements .....	36
19.2	Field Inspection.....	36
19.3	Isolation Requirements .....	36
19.4	Specific Requirements.....	37
19.5	Seed Standards .....	37
	ANNEX I: PROCEDURES FOR AUTHORIZATION .....	39
	ANNEX II: DISEASE TOLERANCES FOR SEED POTATO CERTIFICATION .....	44
	AT FINAL FIELD INSPECTION	



## PREFACE

It gives me extreme joy to be part of this great history in the Nigerian Seed Industry. In the last five years, our seed industry had undergone tremendous growth and has also been identified with changes in the global seed industry. The global seed industry is shifting to a decentralized seed certification system from the current sole responsibility of the government.

At inception of the National Seed Service (NSS) in the early 80s, it was just five (5) seed companies operating in the country compared to 441 seed companies operating as of 2023. I am more inundated by the number of entities seeking approval to be accredited seed companies on a regular basis compared to the 82 official seed inspectors in Nigeria, which is grossly inadequate to ensure planting materials sold to Nigerian farmers meet the requisite quality standards.

With the growing investment in our seed industry, we are not only joining the global seed regulators to further high-level of efficiency in the seed industry but also creating a platform to strengthen the West African Seed Industry, which is increasingly depending on the Nigerian seed industry. With this decentralized seed certification in West Africa and other innovative solutions deployed by NASC, Nigeria will continue to play significant roles in West Africa and across the continent.

This guideline is developed with the authorization of private certification entities' under the Organization for Economic Cooperation and Development (OECD) Seed Schemes, and it is strictly binding on all entities seeking authorization to perform seed certification in Nigeria.

Also, this guideline will be updated as changes evolve in the seed industry.


I wish to commend the committee that developed this guide and the contributions from staff, management, and developmental partners of NASC.

**Dr. Ishiak Khalid**  
**Acting Director General,**  
**2<sup>nd</sup> November 2023**

NASC

## LIST OF ACRONYMS AND ABBREVIATIONS

ASCC	Authorized Seed Certification Company
ASTL	Authorized Seed Testing Laboratory
ASCRC	Authorized Seed Certification Regulation Committee
ASCAC	Authorized Seed Certification Appeals Committee
ISTA	International Seed Testing Association
LSI	Licensed Seed Inspector
LSA	Licensed Seed Analyst
NASC	National Agricultural Seed Council
NST	National Seed Tracker
OECD	Organization for Economic Cooperation and Development



## 1.0 DEFINITION OF TERMS

**Entity:** A private institution registered with CAC and NASC seeking to carry out or officially permitted to conduct seed certification tasks on behalf of NASC.

**Authorized:** An entity having a formal approval of NASC that is recognized as competent to perform seed certification activities on its behalf.

**National Seed Tracker:** A web app for seed value chain management, monitoring, evaluation, and learning. It is an app that organizes seed information for certification activities, tracking production status, barcoding certification tags, seed source verification, etc.

**Authorized Seed Certification Company (ASCC):** An entity that is licensed by NASC to carry out certification leveraging Licensed Seed Inspectors/Licensed Seed Analysts.

**Licensed Seed Inspector (LSI):** A person employed by ASCC that authorized by NASC, and proficient in carrying out crop-specific inspection for a particular ecological zone and can also draw seed samples for laboratory certification.

**Licensed Seed Analyst (LSA):** A person employed by ASCC or an independent laboratory that has NASC authorization to carry out laboratory analysis for all classes and types of seeds.

**Authorized Company Laboratory (ACL):** A seed laboratory owned by ASCC that has been certified by NASC to carry out various types of seed tests for all types of seed.

**Authorized Seed Testing Laboratory (ASTL):** A seed laboratory owned by an independent person(s) holding NASC Authorization to carry out various types of seed tests for all types of seed.

**Certificate of Authorization:** A document issued by NASC to ASCC/ASTL indicating that the named entity fulfills all requirements for accreditation, and is authorized to perform seed certification/ seed testing.

**Powers of Authorization:** A document issued to LSI/LSA indicating that the named person under ASCC/ASTL has been authorized to perform seed inspection for a particular ecology or seed testing for all classes and types of seeds.

**Ecological Zone:** A land resource unified in terms of climate landforms and soils where an LSI can carry out his/her certification activity.

**Spot-checking:** A method of control used by NASC through its seed inspectors to independently verify the activities of LSIs.

**Check-testing:** A method of control used by NASC through its seed analysts to independently verify the activities of LSAs.

**Seed Inspector:** Official seed inspection officer employed by NASC under section 28 sub-section 1 of the 2019 Seed Act.

**Seed Analyst:** Official seed testing officer employed by NASC under section 28 sub-section 1 of the 2019 Seed Act.

**Inspection:** Examination of crop characteristics, seed health and weed status, or other aspects and comparing the results with the stipulated requirements in order to establish compliance. This will be carried out by LSIs.

**Seed Sampling:** A defined procedure to get a uniform and representative sample from a seed lot.

**Testing:** Laboratory examination of a sample of seed-lot to determine the standards of the seed lot. This will be carried out by LSAs.

**Surveillance:** A system of monitoring deployed by NASC to ensure that only quality and certified seeds are traded in the Nigerian seed market.

**Audit:** Systematic and documented process for obtaining evidence to determine the degree of compliance with documented seed certification procedures/methods.

**Corrective Actions:** Action taken to eliminate the causes of a potential non-compliance, defect, or other undesirable situation in order to prevent re-occurrence.

**Non-Compliance:** Non-fulfilment of a specified requirement.

**National Seed Catalogue:** List of all crop varieties that are released by National Varieties Release Committee and are eligible for commercialization seed certification.



## PART I

### 2.0 INTRODUCTION

#### 2.1 Background Information

The National Agricultural Seeds Council (NASC) is the government agency charged with the overall development and regulation of the Nigerian seed industry and the council has been discharging this responsibility in line with international best practices such as the adoption of the Organization for Economic Cooperation and Development (OECD) Seed Schemes Standards for seed field inspections and the International Seed Testing Association's (ISTA) standards/ procedures for seed sampling and testing.

The Seed Industry in Nigeria has evolved into a central force in the West Africa Seed Industry accounting for about 70 percent of the seeds used in the region. The Nigerian Seed Industry metamorphosed from a public sector-dominated industry in 1975 to a private sector-driven industry of over 441 seed companies as of 2023. Presently, more companies are awaiting registration approvals of the governing board of NASC- a trend that is likely to be sustained over the foreseeable future because of the increasing awareness of the benefits of quality seeds. . The rapid growth of seed companies in Nigeria continues to put strains on the available seed certification infrastructure (seed field inspection, supervision of post-harvest operations such as seed processing, drawing of samples for laboratory testing etc.).

Seed certification is a primary responsibility of NASC and entrenched the National Agricultural Seed Act 2019. The Act empowers NASC amongst others, to explore options of maintaining top-class seed certification, including outsourcing, and or decentralizing seed certification.

Relying on Seed Act 2019, the country commenced the decentralization of seed certification by authorizing highly vetted private entities to complement the NASC's certification operations. This guideline is prepared in line with OECD guidelines to streamline the process of Authorization of Third-Party Seed Inspection Organization (ATPSIO)

These guidelines define the process of Decentralized Certification, and the conditions for authorization of entities seeking registration as Authorized Seed Certification Company (ASCC)/ Licensed Seed Inspector (LSI)/Licensed Seed Analyst (LSA), Seed testing, surveillance and audit procedures. Also, it specifies the conditions for the re-examination of LSI/LSA, and withdrawal of authorization of ASCC/LSI/LSA, etc.

#### 2.2 Objective of Private Seed Certification

The general objective of Decentralized Seed Certification is to further strengthen the Nigerian Seed System through a partnership with the governmental, non-governmental, and private sector to build an enabling environment for effective participation of both public, NGO, and private sector in the certification of planting materials.

Specific Objectives shall be:

- To offer efficient and cost-effective seed quality assurance and seed certification services to promote the seed sector in Nigeria.

- To ensure that planting materials sold to farmers meet minimum set quality standards (both field and laboratory standards) so as to maximize their crop production.
- To ensure genetic identity, purity, and health.
- To complement NASC officers in meeting quality certification duties.
- To create career development opportunities for qualified persons outside the government for seed certification activities.

## 2.3 Framework of the Guideline

**2.3.1** The guidelines are the charter for authorizing third-party certification in Nigeria. NASC shall have two committees: (a) **Authorized Seed Certification Regulation Committee (ASCRC)** domiciled in the Department of Seed Certification and Quality Control to deal with all issues of authorization, audit, and suspension; and (b) the **Authorized Seed Certification Appeals Committee (ASCAC)** domiciled in Seed Inspectorate Department that to deal with issues of appeals. The two committees shall be chaired by a Deputy Director.

**2.3.2** NASC shall train prospective LSI and staff of LSA on standard operating protocols and provide access (to information and advice) to its services to all entities/persons seeking to be authorized. However, all data generated in the course of carrying out any duty under the program is a restricted NASC document and cannot be shared, duplicated, transmitted, or transferred without permission of NASC

**2.3.3** Confidentiality of the information obtained during NASC's authorization of entities/persons shall be maintained.

**2.3.4** The ASCC/ASTL/LSI/LSA shall be free from pressure that might adversely affect the quality of their work, independence of judgment, and maintenance of integrity when undertaking seed certification activities.

**2.3.5** ASCC/ASTL/LSI/LSA should be familiar with the Nigerian Minimum Certification Standards implementation, OECD Seed Schemes, ISTA standards, National Varietal Catalogue, and Seed Act 21 of 2019.

**2.3.6** NASC shall make available a system for the control of all documentation relating to the authorization and shall include:

- a) Current issues of the appropriate documents.
- b) A process to ensure that changes or amendments to documents are authorized, processed, and implemented in a quick and efficient manner;
- c) An effective process to ensure that ASCC/ASTL/LSI/LSA are notified of changes.

**2.3.7** The NASC shall;

- a) Carry out training for ASCC/ASTL/LSI/LSA. On protocol for operation.
- b) Carry out official assessments of competence for authorization of ASCC/ASTL/LSI/LSA.
- c) Provide rules, methods, and procedures for inspection, sampling, and testing and ensure that they are applied.
- d) Provide access to the National Seed tracker for ASCC/ASTL/LSI/LSA.
- e) Provide seed certification labels to ASCC/LSIs.

2.3.8 NASC reserves the right to make changes to any part of the guideline it may deem necessary to enhance certification service quality in accordance with the Seed Act 21 of 2019 without prior notice.

2.3.9 The procedures applicable for authorization are;

- a) Procedure for vetting applications (Annex ;)
- b) Procedure for auditing authorized entities (Annex);
- c) Procedure for monitoring of authorized ASCC/ASTL/LSI/LSA (Annex);
- d) Procedure for withdrawal of authorization (Annex);
- e) Procedure for appeals (Annex).

## 2.4 General Information

- 2.4.1 All entities applying for “ASTL” authorization **MUST have** been registered with Corporate Affairs Commission (CAC).
- 2.4.2 ASCC shall be licensed by the NASC to carry out field inspection for **only certified seeds** but can carry out laboratory testing for all classes of seeds.
- 2.4.3 Certification of nucleus, breeder, and foundation seed classes shall be the sole responsibility of NASC. ASTL shall also be licensed by NASC to carry out seed testing for all classes of seeds.
- 2.4.4 LSIs shall only be licensed to certify a seed crop, while LSAs shall be licensed to carry out seed testing for a maximum of three crops.
- 2.4.5 The entity after being accredited by NASC shall be called an **AUTHORISED SEED CERTIFICATION COMPANY (ASCC) or AUTHORISED SEED TESTING LABORATORY (ASTL)** and must have a qualified and trained private inspectors and seed analyst who will be called **LICENSED SEED INSPECTORS (LSIs) and LICENSED SEED ANALYSTS (LSAs)** as the case may be.
- 2.4.6 **The LSIs/LSAs will be** trained by NASC, ASCC, and ASTL (where applicable) and they shall possess the same powers as official seed inspectors and analysts. The training sessions will be a combination of classroom and practical field training for individuals seeking to serve LSI/LSA.
- 2.4.7 After the training, LSIs/LSAs must pass written and practical evaluations prior to to qualify for licensing by NASC, must demonstrate their competence to inspect seed fields, and ability to carry out seed sampling and seed tests.
- 2.4.8 ASCC/ASTL shall apply for **renewal of its operating license** and shall also apply for **powers of authorization** for its inspectors and seed analysts every two years.
- 2.4.9 LSIs/LSAs shall have the necessary qualifications which must be at least an Ordinary National Diploma (OND) in any field of agriculture.

- 2.4.10 Where crops are inspected by LSIs, a proportion of these crops must be spot-checked by official inspectors. The level of check inspections will be set by the NASC to adequately assess the performance of the LSIs.
- 2.4.11 All LSIs/LSAs are required to be re-examined by NASC every **two years** to maintain their license.
- 2.4.12 NASC will conduct all relevant examinations and run training courses to help inspectors/analysts sitting for the examinations.
- 2.4.13 All applications for certification shall be submitted officially to the NASC for the authorized entities. ASCC shall designate an LSI/LSA to handle the certification processes. The applicant shall indicate the preferred authorized entity to offer the service.
- 2.4.14 ASCC/ASTL shall collect and remit prescribed service charges from clients on behalf of NASC and shall remit the same based on approved rates/ percentages.
- 2.4.15 ASCC/ASTL shall pay an administrative fee to NASC for every application received and shall be responsible for the remuneration of the LSI under its employ.
- 2.4.16 **Private seed certification shall be fully digital** and NASC will provide access for ASCC/ASTL/LSI/LSA to the National Seed Tracker (NST). Each entity/person shall have a unique Personal Identification Number (PIN) on the tracker.
- 2.4.17 NASC reserves final authority on all matters on approvals, renewal, accreditation, or withdrawal of the license of ASCC/LSI/LSA

## 3.0 GENERAL GUIDELINES FOR AUTHORIZATION

### 3.1 Areas Covered Under the Guideline

ASCC/LSI/shall be authorized to:

- 3.1.1 Carry out seed field inspection and certification for “certified seeds” only.
  - 3.1.2 Supervise seed processing and conditioning for certified seeds only.
  - 3.1.3 Carry out seed sampling on certified seed lots.
  - 3.1.4 Supervise certified seed packaging, labelling, and sealing
- ASTL/LSA shall be authorized to:
- 3.1.5 Carry out any seed test for all the classes of seed.

### 3.2 Scope of Authorization

#### 3.2.1 Field Inspection

LSI shall carry out inspections as per the NASC procedure for a given crop, which generally includes at least a minimum of three inspections at the following stages (a) Pre-planting stage, (b) Vegetative Stage, and (d) pre-harvest stage. The NASC shall make available specific crop inspection guidelines and reporting booklets to ASCC/LSIs.

#### 3.2.2 Seed Processing Inspection.

LSI shall inspect the seed lot and supervise seed processing and conditioning of seed companies under their purview.

#### 3.2.3 Seed Sampling/Re-sampling

LSI may be assigned to shall draw, document and store seed samples before dispatch to the laboratory for seed testing under strict supervision of the NASC officer.

#### 3.2.4 Seed Testing

LSA shall receive seed samples from NASC official or authorised LSI and carry out seed tests at an ASCC/ASTL or NASC laboratory before issuance of the seed testing certificate. The following tests will be carried out on any seed sample; (a) Purity test analysis (b) seed moisture (c) Germination analysis (d) Vigour (e) Seed health (f) Genetic purity analysis.

#### 3.2.5 Labelling and Sealing

LSI shall apply to NASC through ASCC for certification labels which will be affixed to seed packs from passed seed lots (seed lots that have passed field and laboratory standards). LSI will supervise labeling on seed packs, sealing, and tagging.

**The NASC shall provide specific procedures and methods for handling certification labels.**

## 4.0 ELIGIBLE ENTITIES

**4.1** Authorized inspection, sampling, and testing shall be approved only for entities registered with Corporate Affairs Commission (CAC). NASC shall carry out due diligence of the entity and upon satisfactory report, shall issue a **Certificate of Authorization** to the entity. The authorized entity shall be referred to **Authorised Seed Certification Company (ASCC) or AUTHORISED SEED TESTING LABORATORY (for seed testing only)**

**4.2** ASCC/ASTL shall employ persons of good character to undertake field inspection/seed testing and apply to NASC for **Powers of Authorization** for its inspectors/analysts. Authorized inspectors shall be called **Licensed Seed Inspectors (LSIs)** and authorized analysts shall be referred to as **Licensed Seed Analysts (LSAs)**.

**4.3** LSIs/LSAs shall be employable persons who have natural or legal status in Nigeria and can only undertake authorized certification activities under their employer entity. In case LSI/LSA wishes to change ASCC/ASTL to which they are employed, they shall notify NASC through their employer and provide proof of employment to their new ASCC/ASTL.

**4.4** ASCC/ASTL should keep NASC regularly updated on recruitment, resignation or withdrawal of LSI/LSA immediately such action is taken for better tracking.

## 5.0 CONDITIONS FOR AUTHORIZATION OF LSI/LSA

### 5.1 Minimum Qualifications

#### 5.1.1 *Academic*

The minimum qualification for LSI/LSA shall be at least Ordinary National Diploma (OND) in Agriculture from a recognized higher institution in Nigeria or its equivalent from a foreign academic institution. Persons with certificates in Agriculture or related discipline from a recognized institution and ten year's experience in seed-related activity may also be considered.

#### 5.1.2 *Technical and professional*

Intending LSI/LSA shall possess at least one (1) year of experience in any area of the seed industry or related field.

#### 5.1.3 *Integrity*

All intending LSI/LSA through their respective ASCC/ASTL shall submit a current certificate of Good Conduct from the Nigerian Police or recognized notary public/public figure/Cleric to NASC.

### 5.2 Training on Seed Inspection/Sampling/Testing

NASC shall collate the names of all intending LSIs/LSAs and shall train them on the crop which they have been designated by their employer to certify. The training shall be conducted within four weeks after NASC receives names of intending LSIs/LSAs from ASCC or ASTL.

NASC may also delegate competent entities to undertake the training on its behalf.

#### 5.2.1 *Examinations/Assessment.*

After the training, all intending LSIs/LSAs shall satisfy NASC of their competence to become authorized through examinations. The following parts of the examination shall be used:

- a) A written examination to test knowledge of principles and procedures.
- b) A practical examination to test field inspection/sampling/seed testing skills and operations of the National Seed Tracker. The overall pass mark shall be 80% (for both theory and practical)

In the case of ASCC/ASTL, an assessment shall be done to confirm if the general requirements are fulfilled as per the guidelines and criteria in annex.....

#### 5.2.2 *Attachment*

Qualifying LSIs/LSAs shall undergo three (3) a month attachment under the official seed inspector/analyst. The attachment shall be undertaken within One (1) month after successful completion of the examination.

## 6.0 AUTHORIZATION

6.1 LSI/LSAs who meet the requirement shall be authorized through gazette by the NASC which shall be done within a period of not more than 60 days after successful completion of attachment.

6.2 ASCC/ASTL or LSI/LSA shall be issued with a **Certificate of Authorization and Powers of Authorization respectively. Powers of Authorization of LSI/LSA** shall specify the scope and aspects of authorized certification and accompanying conditions. The certificate shall have a validity period of two years and shall be renewable every two (2) years.



## 7.0 MAINTENANCE OF KNOWLEDGE AND SKILLS

LSI/LSA shall maintain their knowledge and skills by:

- a) Undertaking regular (not more than one year break) certification,
- b) Participating in periodic refresher training and keeping up to date with applicable seed inspection/Sampling/testing standards, rules, regulations and procedures.



## 8.0 SURVEILLANCE AND AUDIT PROCEDURES

### 8.1 Documentation check

8.1.1 All documentations for authorized inspections/sampling/testing shall be done on the National Seed Tracker (NST). NASC shall access all information received on NST for documentation, checking and monitoring purposes.

8.1.2 NASC shall provide certification labels to ASCC and shall track proper use of labels.

### 8.2 Spot inspections

A proportion of crops inspected by LSI shall be spot inspected by official inspectors. The exact method used shall be as per 13.1.6(a).

### 8.3 Check Sampling

Check-sampling shall be done as provided 13.1.6(b).

### 8.4 Check testing

Check testing shall be done as provided in 13.3.6 (a)

### 8.5 Proficiency laboratory test

Proficiency test shall be done every two years to authorized seed testing laboratory before issuance of renewal license. NASC shall administer the proficiency tests.

### 8.6 Pre and Post control

NASC establish pre and post control tests for all the seeds certified by LSIs in the regional offices closer to ASCC/LSI. The results of these pre- and post control plot assessment shall be an indicator of performance of LSIs.

### 8.7 Audits

Audit procedure shall include checks on documentation and adherence to documented procedures and standards.

ASCC/ASTL/LSI/LSA shall be audited annually by NASC during inspection/sampling and testing following the procedure in Annex...

## 9.0 RE-EXAMINATION

NASC shall require LSI/LSA to undertake re-examinations after two (2) years or **after recommendation following audit or spot-inspection/testing.**



## 10.0 SUSPENSION/WITHDRAWAL OF AUTHORIZATION

NASC shall withdraw authorization on the following grounds;

- 10.1 If an ASCC/ASTL provide false information in the application for Authorization.
- 10.2 If an LSI/LSA provide misleading information/false documents in the application for Authorization.
- 10.3 If ASCC/ASTL/LSI/LSA provides false or misleading information in a report.
- 10.4 If LSI/LSA did not follow procedures for field inspection and seed testing.
- 10.5 If ASCC/ASTL/LSI/LSA gives his access information on the NST to a third party which compromises the privacy of information and integrity of the tracker.
- 10.6 If seeds certified by LSI fail pre-control tests three (3) consecutive times.
- 10.7 If there is evidence from surveillance activities that the ASCC/ASTL/LSI/LSA has compromised standards.
- 10.8 Failure to renew Certificate of authorization/powers of authorization.
- 10.9 In case of voluntary withdrawal of authorization
- 10.10 LSI/LSA morbidity or permanent disability
- 10.11 In case of de-registration by CAC.

In case of any violations above, ASCC/LSI/LSA may be given a maximum of two warnings after which the authorization will be withdrawn. For violations **10.1, 10.2, 10.3, 10.5, 10.6,** and **10.7**, no warnings shall be given.

In the case of **10.4**, LSI/LSA shall be suspended and required to undergo refresher training.

## 11.0 APPEALS

The NASC shall operate an appeals procedure to enable a review of the decision not to authorize, suspend, or withdraw authorization.

Any person aggrieved by the decision of the Authorized Seed Certification Regulation Committee may appeal to Authorized Seed Certification Appeal Committee. The appeals procedure is as detailed in Annex 1(6).



## 12.0 ABSOLUTION FROM LIABILITY

NASC shall not take liability for injuries, claims, suits, losses, or damages arising from the actions of ASCC/ASTL/LSI/LSA.

ASCC/ASTL is an independent body and shall be held responsible for any actions or inactions by the company or its employees .and shall oversee allocation of fields to LSIs in areas under the jurisdiction of the affiliated ASCC/ASTL.



## 13.0 SPECIFIC GUIDELINES

### 13.1 Criteria for Authorizing LSI

#### 13.1.1 **Training**

LSI shall undergo training appropriate to the crops which they have been licensed to inspect.

#### 13.1.2 **Knowledge and skills required**

LSI shall have the following knowledge and skills.

##### 13.1.2.1 **Knowledge of:**

- a) the OECD Seed Schemes.
- b) Nigerian Minimum Certification Standards and other NASC statutory books
- c) the methods of field inspection and field standards appropriate for the crop species for which authorization is sought.
- d) the varietal characteristics of the varieties to be inspected.
- e) taking seed samples for seed certification purposes;

##### 13.1.2.2 **Skills in:**

- a) use of varietal characteristics to confirm the varietal identity of seed crops;
- b) detection, characterization, and quantification of varietal impurities in seed crops.
- c) Identification of noxious weeds, pests, and seed-borne diseases.
- d) Computer/ Smartphone usage

##### 13.1.2.3 **Sampling equipment**

LSI shall be trained and competent in taking seed samples for seed certification and shall have access to appropriate sampling equipment.

#### 13.1.3 **Examinations and competence assessment**

LSI shall demonstrate their competence to become authorized inspectors through examinations. The following examinations shall be used in assessing competence:

- a) A written examination to test knowledge of principles and procedures.
- b) A practical examination to test seed field inspection and seed sampling skills.

#### 13.1.4 **Field attachment**

LSI shall undergo field attachment under an official inspector for a period of three (3) months.

#### 13.1.5 **Maintenance of Knowledge and Skills**

LSI shall maintain their knowledge and skills by:

- a) Undertaking regular (not more than one-year break) inspection of crops and sampling,
- b) Participating in periodic retraining and,
- c) Being conversant with Nigerian Seed Certification Statutory books, certification schemes, and crop inspection procedures and being familiar with any changes.

### **13.1.6 Surveillance and Audit Procedures**

#### **a) Spot Inspections**

A proportion of seed crops inspected by LSI shall be check-inspected by NASC certification officers. The exact method will follow the following options on a case-by-case basis. NASC shall;

13.1.6.1 Check-inspect a proportion of crops certified by LSI;

13.1.6.2 Check-inspect a proportion of crops selected randomly from all crops which are inspected by LSIs.

13.1.6.3 check-inspect a proportion of crops selected randomly from all LSIs and additional monitoring of LSIs with a higher risk of non-compliance.

#### **b) Check sampling**

A proportion of seed lots sampled by LSI must be check-sampled by official seed inspectors and check-tested in the NASC laboratory.

#### **c) Inspection Audits**

LSI may be audited by official certification officers during field inspections.

#### **d) Re-examination**

The NASC shall require LSIs to re-qualify for authorization every two (2) years.

#### **e) Documentation**

The NASC shall examine LSI inspection records periodically to monitor adherence to Standard Operating Procedures on Field Reporting and adherence to proper inspection documentation.

#### **f) Use of pre- and post-control plot assessment results**

NASC shall establish control plots for crops certified by LSIs and compare results with LSIs field inspection reports as an indicator of performance.

### **13.1.7 Withdrawal of authorization**

NASC shall withdraw authorization as provided in section 10.

## **13.2 Criteria for Authorizing Seed Testing Laboratories**

### **13.2.1 Training**

NASC shall be satisfied that the staff of an ASCC/ASTL have been sufficiently trained and are competent.

### **13.2.2 Knowledge and skill requirements**

Seed testing laboratories shall;

a) be licensed to carry out all types of seed testing and must have a qualified laboratory manager (analyst in charge);

b) have enough qualified LSA in relation to the volume of tests carried out, with the appropriate technical qualifications in accordance with the rules and methods as provided by NASC and ISTA and confirmed by official examinations;

- c) be situated in appropriate premises and have appropriate calibrated and well-maintained equipment which fulfills the requirements of the methods and rules for the tests the lab is authorized to conduct.
- d) test according to methods and rules for seed testing approved by NASC and ISTA.

(NASC shall make available seed testing procedures approved by ISTA to ASCC/ASTL)

**The staff working in the laboratory shall have the following knowledge and skills;**

- a) Seed testing
- b) Application of seed testing methods and procedures approved by the NASC
- c) Nigerian Seed Industry

### **13.2.3 Competence assessment**

The following methods shall be used to assess the competence of applicants:

- a) **Laboratory management examination for the seed analyst in charge:** The head of an ASCC laboratory/ASTL shall be assessed on laboratory management skills, particularly control of testing conditions and documentation, in addition to passing the LSA examination. The assessment shall be conducted concurrently with his/her LSA examination.
- b) **Seed testing examination for LSAs:** After completion of training, a practical examination relating to seed testing with respect to the crops which an LSI is designated to certify shall be tested. A written examination to test knowledge of principles and procedures of seed testing according to international rules and methods shall be carried out.

### **13.2.4 Attachment**

Upon successful examination, LSAs shall undergo attachment in NASC regional Laboratories/NASC Central Seed Testing Laboratory for a period of three (3) months.

### **13.2.5 Maintenance of knowledge and skills**

- a) ASCC/ASTL shall ensure that their staff maintain knowledge and skills by;
  - i. Undertaking regular seed testing work
  - ii. Keeping up to date the documentation and being familiar with the seed testing rules and methods as approved by NASC.
  - iii. Participating in re-training as the need arises.
- b) Premises and equipment used for seed testing shall meet the specifications of the rules and methods approved by NASC
- iv. LSAs shall be re-examined every two years before the issuance of a renewal license.

### **13.2.6 Surveillance and audit procedures**

#### **a) Check-testing**

Check testing involves taking the reference sample from ASCC or ASTL and testing at NASC Seed Testing Laboratory.

- i. Newly authorized laboratories shall be checked and tested 2 times a year.
- ii. NASC shall develop Check testing tolerances standards.

- iii. ASCC/ASTL that do not meet minimum check testing tolerances set by NASC for two subsequent checks shall be suspended and required to be retrained and re-examined.
- iv. ASCC/ASTL that fails to check inspection for three consecutive times shall have their authorization withdrawn.

**b) Proficiency Laboratory Test**

ASCC/ASTL shall participate in proficiency tests once a year.

**c) Audits of seed test laboratories**

Audits shall examine adherence to laboratory management principles and the appropriate testing procedures and methods and shall include checks on documentation, tools, and equipment as well as the examination of laboratory records.

**13.2.7 Withdrawal of Authorization**

NASC shall withdraw authorization as provided in

**13.3 Criteria for Authorization of ASCC**

**13.3.1 Independence**

NASC must be satisfied that ASCC has independence in its operations.

**13.3.2 Personnel**

NASC shall be satisfied that ASCC has sufficiently trained and competent staff to undertake certification activities.

**13.3.3 Knowledge and skill requirements**

ASCC shall;

Have a qualified manager who is technically competent in seed certification requirements.

- a) Have enough qualified LSIs and LSAs in relation to the volume of inspections, sampling, and seed testing.
- b) Be situated in a physical location and shall have appropriate premises, tools, and equipment which fulfill the requirements provided by NASC.
- c) Work according to the procedures and methods provided by NASC
- d) Have an internal system of quality control and audit.

**13.3.4 Competence assessment**

The following methods may be used by NASC to assess the competence of applicants.

- a) The ASCC manager(s) shall be assessed on management and technical skills particularly control of seed certification activities, and associated documentation.
- b) Technical staff shall be assessed on the relevant rules and procedures including process flow and documentation.

**13.3.5 Maintenance of knowledge and skills**

ASCC/ASTL shall ensure that the staff maintain their knowledge and skills

**13.3.6            Surveillance and Audit Procedures**

NASC shall ensure the requirements of authorization guidelines are fulfilled through audits as per the audit procedure in

**13.3.7            Withdrawal of authorization**

NASC shall withdraw authorization as provided for in section 11 following the procedure in Annex 1(5).



## 14.0. POWERS OF LSI

- 14.1 LSI shall draw representative samples of any seed of any notified kind or variety from the seed lots of any person offering to sell or deliver seeds. If the container from which the sample is to be drawn is intact, he may also draw samples after the delivery of such seed to a purchaser or consignee.
- 14.2 LSI shall send such samples, for analysis, to the LSA/official seed analyst for the region within which the sample has been drawn.
- 14.3 LSI may enter and search at all reasonable times with or without assistance any place in which he has reason to believe that an offence under the Act has been or is being committed. If the offense is such that it can be corrected, he may issue a stop sale order, ordering the possessor of such seed not to dispose of the concerned seed lot for a specific period. During this period, the possessor of seed may correct the defect(s) and intimate such action to the LSI who, on being satisfied with the removal of the defect(s) shall revoke the stop sale order.
- 14.4 He may break open the door of any premises where any seed of any notified kind or variety may be kept for sale in case the owner or any person in the premises, in spite of the presence of the LSI, refuses to open the door.
- 14.5 He may break open any container in which any seed of any notified kind or variety may be present.
- 14.6 He shall detain imported containers of seeds, which contravene the provisions of the Act.
- 14.7 He shall inspect as frequently as may be necessary all places used for storage or sale of any seed of notified kind or variety.
- 14.8 He shall maintain a record of all inspections made and action taken by him in the performance of his duties, including the taking of samples and the seizure of stocks.
- 14.9 He may examine any record, register, document, or any other material object found in any place If he has reason to believe that the records, etc., may furnish evidence of the commission of an offense punishable under the Act.
- 14.10 He shall investigate any complaint, which may be made to him in writing in respect of any contravention of the provisions of the Act.
- 14.11 In the case of persistent defaults, or flagrant contravention of the provisions of the Act and the Rules, he shall promptly notify NASC through his employer who will in turn institute prosecution.

## PART II

### MINIMUM POTATO SEED CERTIFICATION STANDARD

#### 15.0 ELIGIBILITY OF CROP VARIETIES FOR CERTIFICATION

Seed of only those crop/varieties which are registered in the national catalogue as per Section 14 of the National Agricultural Seeds Act shall be eligible.

#### 16.0 CLASSES AND SOURCES OF SEED

##### 16.1 Breeder Seed

Seed or vegetatively propagating material directly controlled by the originating or sponsored plant breeder of the breeding programme or institution or seed which is produced under the personal supervision of a qualified plant breeder, and which provides the source for the initial and recurring increase of foundation seed. Breeder seed shall be genetically so pure that in the subsequent generation (i.e) the Foundation seed class shall conform to the prescribed standard of genetic purity specified. The other quality factors of breeder seed such as physical purity, germination etc. shall be indicated on the label on actual basis.

##### 16.2 Foundation Seed

Foundation seed shall be the progeny of breeder seed or be produced from foundation seed which can directly and clearly be traced to breeder seed. Foundation seed can be produced for two generations from breeder seed. During production of certified foundation seed the following guideline should be observed:

- (a) Certified foundation seed produced from the breeder seed shall be designated as “Foundation Seed Stage 1”, and certified foundation seed produced from Foundation Seed Stage 1 shall be designated as Foundation Seed Stage II”. The certified foundation seed stage II shall not be used for further increase of foundation seed and shall be used for the production of certified seed class.
- (b) Minimum seed certification standards and colour of the tag shall be the same for both the stages of foundation seed classes unless otherwise prescribed.
- (c) Production of foundation stage II shall be allowed to be produced in respect of the following crops/varieties, which it is expressly felt by the NASC that the breeder seed is in short supply:
  - ✓ Vegetatively propagated crops;
  - ✓ Apomictically reproduced crops;
  - ✓ Self-pollinated crops;
  - ✓ Often cross pollinated/cross pollinated crops (with adequate measures/safeguards to maintain varietal identity and purity);
  - ✓ Composites and synthetics;

- ✓ Parental line increase of hybrids.

### 16.3 Certified Seed

Certified seed shall be the progeny of foundation seed and its production shall be so handled as to maintain specific genetic identity and purity according to standards prescribed for the crop being certified. Certified seed may also be the progeny of certified seed provided this reproduction does not exceed three generations beyond foundation seed stage I, and it is determined by the NASC that (a) genetic identity and purity will not be significantly altered and (b) when there is genuine shortage of foundation seed.



## 17.0 PHASES OF CERTIFICATION

Certification shall be completed in the following six broad phases:

- i) Receipt and scrutiny of applications for certification from the seed growers/producers.
- ii) Verification of seed source: class and other requirements of the seed being used for raising the seed crop.
- iii) Field inspection to verify conformity to the prescribed field standards.
- iv) Supervision at post-harvest stages including processing and packaging.
- v) Seed sampling and testing including genetic purity/health testing, if necessary, in order to verify the prescribed standards.
- vi) Grant of certificate to a seed lot and affixing of certification tag and seal to the containers. **(SEE ANNEX II for detail instruction necessary for general seed)**

### 17.1 Certification Tag Colour

For Breeder Seed, it is white with diagonal purple stripe tag, For Foundation Seed white colour tag and for Certified Seed blue colour tag (shade azure blue) is prescribed.

Certified seed produced from Certified Seed shall not be eligible for further seed increase under certification programme. Certification tags for such production shall be superscribed with '*not eligible for further seed increase under certification*'.

## 18.0 APPLICATION AND AMPLIFICATION OF IRISH POTATO (*Solanum tuberosum* L.) CERTIFICATION STANDARDS

The General Seed Certification Standards are basic and, together with the following specific standards constitute, the standards for certification of Irish seed potato.

### 18.1 Land Requirements

Land to be used for seed production of Irish seed potato shall be free of volunteer plants.

### 18.2 Field Inspection

A minimum of three inspections shall be made as follows:

- 1) The first inspection shall be made about 45 days after planting in the hills and about 35 days after planting in the plains to verify isolation, off-types and the extent of disease infection with specific reference to mild and severe mosaics, leaf roll, yellows, brown rot and other relevant factors;
- 2) The second inspection shall be made about 60-65 days after planting for early varieties and about 70-75 days after planting for late varieties or at appropriate growth stage depending upon the crop duration of the variety concerned to check isolation, off-types and extent of disease infection with specific reference to mild and severe mosaics, leaf roll, yellows, brown rot and other relevant factors.
- 3) The third and final inspection shall be made before harvesting in order to verify hardening of seed potato and any other relevant factor.

### 18.3 Isolation Requirements

Contaminants	Minimum distance (metres)		
	Foundation		Certified
	Stage I	Stage II	
a) Fields of other varieties.	5	5	5
b) Fields of same variety not conforming to varietal purity requirements for certification.	5	5	5

#### 18.4 Specific Field Standards

Factor	Maximum permitted (%)		
	Foundation		Certified
	Stage I	Stage II	
a) Off-types (1 <sup>st</sup> & 2 <sup>nd</sup> inspections).	0.050%	0.050%	0.10%
b) Plants showing symptoms of: (1 <sup>st</sup> & 2 <sup>nd</sup> inspections).	1.0 %	2.0%	3.0%
- Mild mosaic.	0.50%	0.75%	1.0%
- Severe mosaic, leaf roll and yellows.			
• Total virus.	1.0%	2.0%	3.0%

\* - Of the two inspections, the higher percentage will be considered for the purpose of the specified limits of tolerance.

#### 18.5 Seed Standards

A) The specification in respect of size and weight of tubers for Foundation Stage I, Foundation Stage II and Certified classes shall be as stated below:

Size	Mean length and two widths at the middle of tuber	Corresponding Weight
- Seed size	30mm – 55mm	25 – 125 g.
- Large size	above 55mm	above 125 g.

#### 18.6 Important Considerations

1. The size of tuber shall be decided either on the basis of mean of the two width of the tuber at the middle and that of the length or on the basis of corresponding weight of tuber.
2. In a seed lot, tubers not conforming to specific size of seed shall not exceed more than 5.0% by number.
3. The seed material shall reasonably be clean, healthy, firm and shall conform to the characteristics of the variety. The tubers not conforming to the varietal characteristics shall not exceed 0.050% and 0.10% by number for foundation and certified seed classes respectively.

4. Cut, bruised, unshapy, cracked tubers or those damaged by insects, slugs or worms shall not exceed more than 1.0% by weight.
  5. Greenish pigmentation on tubers will not be the disqualification for certification.
- B) Maximum tolerance limit of tubers showing visible symptoms caused by the diseases mentioned below shall be as follows:

Diseases	Maximum permissible Limit (By Number)		
	Foundation		Certified
	Stage I	Stage II	
Late blight ( <i>Phytophthora infestans</i> ). Dry rot ( <i>Fusarium caeruleum</i> ). Charcoal rot ( <i>Macrophomina phaseoli</i> ) Wet rot ( <i>Sclerotium rolfsii</i> ). Common scab ( <i>Streptomyces scabies</i> ). ** Black scruff ( <i>Rhizoctonia solani</i> ). • Total diseases.	1.0% None 3.0 % 5.0%	1.0% None 3.0% 5.0%	1.0% None 5.0% 5.0%

- Even if a single tuber infected with common scab is detected in a seed lot, the entire seed lot shall be treated with approved fungicide and it is declared fit for certification. Seed lot having infected tubers more than the prescribed limits shall not be certified even after treatment.

\*\* a) A tuber carrying 10% or above scurfed surface shall not be considered as one infected unit.

c) Seed lots having black scurf infection more than the prescribed limits could not be certified after treatment with approved chemical/fungicide.

\*\*\* For all diseases, the higher disease percentage will be considered for the purpose of the specified limits of tolerance.



## 19.0 APPLICATION AND AMPLIFICATION OF SWEET POTATO (*Ipomoea batatas* L.) Schott. CERTIFICATION STANDARDS

The General Seed Certification Standards are basic and, together with the following specific standards constitute, the standards for certification of sweet potato.

All certified classes shall be produced either from vine cuttings or from sprouts cut from the bed whose source and identity may be assured and approved by the NASC.

### 19.1 Land Requirements

- a) Land to be used for seed production of sweet potato shall be free of volunteer plants.
- b) Avoid sweet potato residue and drainage from other sweet potato fields.

### 19.2 Field Inspection

A minimum of two inspections shall be made as follows:

1. the first inspection of plant bed shall be made when plants are nearly large enough to transplant
2. the second inspection shall be made shortly after transplanting in the seed field.

### 19.3 Isolation Requirements

Seed fields shall be isolated from the contaminants as stated below:

Contaminants	Minimum distance (metres)	
	Foundation	Certified
a) Fields of other varieties.	5	5
b) Fields of same variety not conforming to varietal purity requirements for certification.	5	5

#### 19.4 Specific Requirements

Factor	Maximum permitted (%)*	
	Foundation	Certified
<b>Plant bed</b>		
Plants infected by:		
Black rot ( <i>Ceratostomella fimbriata</i> ).	None	None
Wilt ( <i>Fusarium oxysporium f. batatas</i> ).	None	None
Scurf ( <i>Monilochaetes infuscans</i> ).	None	None
Off-types	None	None
<b>Seed field</b>		
Plants infected by:		
Wilt ( <i>Fusarium oxysprum f. batatas</i> )	None	None
Mosaic	0.050	0.10
Off-types	0.10	0.20

\*- Maximum permitted at each inspection.

Note: All off-types and diseased plants should be rogued out along with roots.

#### 19.5 Seed Standards

1. The seed material shall be reasonably clean, healthy, firm and shall conform to the characteristics of the variety. The roots not conforming to varietal characteristics shall not exceed 0.10% and 0.20% (by number) for Foundation and Certified Seed classes respectively.
2. Cut, bruised, unshapy, cracked roots or those damaged by insects (except sweet potato weevil), slugs or worms shall not exceed more than 1.0% (by weight).

3. Maximum tolerance limit of roots showing visible symptoms caused by diseases, sweet potato weevil and other factors will be as follows:

Factor	Maximum permitted (%)	
	Foundation	Certified
Storage rot.	None	None
Black rot ( <i>Ceratostomella fimbriata</i> ).	None	None
Wilt ( <i>Fusarium oxysporium f. batatas</i> ).	None	None
Scurf ( <i>Monilochaetes infuscans</i> ).	None	None
Internal cork.	5.0%	5.0%
Nematode.	None	None
Wire worm.	1.0%	1.0%
Potato weevil ( <i>Cylas formicaris</i> ).	None	None

Note: A root carrying 10.0% or above scurfed surface would be considered as one infected unit.

## ANNEX I: PROCEDURES FOR AUTHORIZATION

### 1. PROCEDURE FOR AUTHORIZING ASCC/ASTL

- I. Intending entities will send an application for authorization with supporting documents to Director General, NASC for authorization. Supporting documents shall include copy of the Corporate Affairs Commission certificate, copy of the memorandum of association, a copy of the article of association, a Tax Identification Number (TIN) and a company profile.
- II. Intending entities shall fill out an online registration form which must be submitted with the appropriate registration fee.
- III. All applications shall be duly documented for authorization.
- IV. In case of incomplete supporting documents, entities shall be informed and advised appropriately to take corrective measures, otherwise the application shall be rejected.
- V. Complete applications shall be vetted against the requirements in the guidelines. NASC shall visit the corporate office of ASCC/ASTL to verify claims in registration forms. NASC will assess the technical personnel and equipment available for certification.
- VI. Successful entities shall be issued operating license renewal every two) years and shall also be given access to National Seed Tracker for certification purposes.

### 2. PROCEDURE FOR AUTHORIZING LSI/LSA

- I. Accredited ASCC/ASTL shall forward the names, credentials (primary to higher institution), and statement of good conduct of intending LSIs/LSAs to NASC within one (1) month of authorization.
- II. NASC shall verify all documents submitted and issue registration forms to qualifying candidates. All completed forms must be accompanied by registration fees.
- III. All complete applications shall be entered in the register for authorization.
- IV. In case of incomplete documents, NASC shall require ASCC/ASTL to inform applicants to take corrective measures, otherwise the application shall be rejected.
- V. Qualifying applicants shall be invited for training and advised on training requirements including payment of fees.
- VI. Qualifying applicants will undergo training followed by examination as provided in the guidelines to assess their competence.

VII. Successful applicants meeting the examination and assessment requirements shall be granted Power of authorization and gazetted.

VIII. Qualifying LSIs/LSAs shall be entered into the authorization register and granted access to National Seed Tracker.

**3. PROCEDURE FOR AUDIT OF ASCC/ASTL/LSI/LSA**

**a. NASC shall audit entities and persons authorized for seed certification. NASC shall audit the following:**

**I. Tools, equipment, and environment:** The audit will cover all work tools, equipment, and operating environment of ASCC/ASTL/LSI/LSA.

**II. Staff competence;** the audit will assess the professional competence and ability of LSI/LSA staff in to carry out their duties efficiently and to ascertain areas where LSI/LSA may require further training or to determine grounds that will require withdrawal of authorization.

**III. Environment;** NASC will determine the suitability of the entity's organizational structure for certification activities. ASCC must have regional offices in zones where their certification covers

**IV. Inspection:** NASC shall check whether there is independence and integrity in field inspection and sampling as carried out by LSI and also assess whether LSI follows procedures for inspection as provided by NASC.

**V. Testing:** NASC shall examine if ASCC laboratory/ASTL follows standard testing procedures as provided by NASC and the competence of the LSAs.

**b. Frequency:** The auditing of ASCC/ASTL/LSI/LSA shall be done annually.

**c. Audit Report: audit reports shall be submitted to the department of seed certification and quality control within one (1) week.**

**d. Corrective Actions;**

Corrective Actions shall be taken by NASC within one (1) month of receiving the audit report. ASCC/ASTL/LSI/LSA requiring warning/suspension/withdrawal of authorization shall be informed of NASC's actions.

**e. Appeals**

in case of suspension/withdrawal of authorization, ASCC/ASTL/LSI/LSA/ shall direct their appeals to the head of the Authorized Seed Certification Appeals Committee (ASCAC)

**4. PROCEDURE FOR MONITORING LSI/LSA**

**I.** The NASC shall regularly monitor LSI/LSA by undertaking NST access checks, spot inspections and sampling, check-testing, proficiency laboratory tests, and pre/post control tests as provided in these guidelines.

- II. NASC shall designate official seed inspectors to spot inspect LSI unannounced. Official inspectors shall draw samples from seed lots passed by LSI for check testing. Check testing shall be carried out in the NASC laboratory or other laboratories other than the LSI's employer laboratory.
- III. The monitoring records of LSIs/LSAs shall be maintained by NASC.
- IV. Monitoring findings/decisions shall be shared with ASCC/ASTL/LSI/LSA

## **5. PROCEDURE FOR WITHDRAWAL OF AUTHORIZATION**

### **a) Voluntary withdrawal.**

- I. ASCC/ASTL/LSI/LSA wishing to voluntarily relinquish his authorization shall forward a written application to the Director General, NASC.
- II. NASC shall acknowledge the notification.
- III. NASC shall withdraw authorization and notify the public through a gazette notice.

### **b) Withdrawal due to non-compliance;**

#### **For non-compliance where corrective action is applicable**

- I. NASC shall notify ASCC/ASTL/LSI/LSA in writing of non-compliance/violation finding(s) and demands corrective action.
- II. If ASCC/ASTL/LSI/LSA are unable to satisfactorily address the non-compliance within a specified period given by NASC, the council shall withdraw authorization as provided in the guidelines and notify the public through a gazette notice.

#### **For violations where corrective actions do not apply**

- I. NASC shall withdraw authorization and inform the ASCC/ASTL/LSI/LSA in writing within seven working days and notify the public through a gazette notice.
- II. For cases requiring investigation, ASCC/ASTL/LSI/LSA shall be suspended for a period not exceeding six months during which all official materials shall be surrendered to NASC while awaiting the findings of the investigation


## **6. PROCEDURE FOR APPEAL**

- I. ASCC/ASTL/LSI/LSA shall appeal to the Head, ASCAC through the Director General, NASC stating the basis for the appeal and must attach necessary evidence. The appeal letter should reach NASC within seven (7) working days following the decision of ASCRC.
- II. The head, of ASCAC shall acknowledge receipt of the appeal letter within 72 hours.
- III. ASCAC shall invite the entity/person for a hearing within fourteen (14) working days after receipt of the appeal
- IV. ASCAC shall pass the decision reached after the hearing to the Director General for ratification.
- V. ASCAC shall communicate a decision to the entity/person within 48 hours after Director General's ratification.

- VI. If the entity/person is not satisfied with the decision of ASCAC, the entity/person he/she may apply to the governing board of NASC for review.
- VII. The governing board of NASC evaluates the appeal and makes a final decision, which is communicated to the applicant. The governing board has the final decision.



## STANDARD OPERATING PROCEDURE FOR AUTHORIZING ASCC/ASTL



## ANNEX II: DISEASE TOLERANCES FOR SEED POTATO CERTIFICATION AT FINAL FIELD INSPECTION

Annex 2. Disease tolerances for seed potato certification at final field inspection

Disease	Causal organism	Breeder TC	Final inspection rating %			
			R1	R2	R3	R4
<b>Group 1 restricted diseases<sup>3</sup></b>						
Brown rot (bacterial wilt)	<i>Ralstonia solanacearum</i>	Nil	0	0	0	0
Ring rot	<i>Clavibacter michiganensis sepedonicus</i>	Nil	0	0	0	0
Potato cyst nematode <sup>4</sup>	<i>Globodera rostochiensis</i> , <i>G. pallida</i>	Nil	0	0	0	0
Potato spindle tuber viroid	Pospiviroidae	Nil	0	0	0	0
Potato wart	<i>Synchytrium endobioticum</i>	Nil	0	0	0	0
Tobacco rattle virus	Tobacco rattle virus	Nil	0	0	0	0
Zebra chip	<i>Candidatus Liberibacter solanacearum</i>	Nil	0	0	0	0
<b>Group 2 crop assessment (bacterial and fungal diseases)</b>						
Fusarium wilt	<i>Fusarium</i> spp.	Nil	0.1	0.25	2	2
Verticillium wilt	<i>Verticillium dahlia</i> , <i>V. alboatrium</i>	Nil	0.1	0.25	2	2
Blackleg/soft rot	<i>Pectobacteria (Erwinia spp.)</i> , <i>Dickeya</i> spp.	Nil	0.1	0.25	2	2
<b>Total group 2 bacterial and fungal diseases</b>		<b>Nil</b>	<b>0.1</b>	<b>0.25</b>	<b>2</b>	<b>2</b>

<b>Group 3 crop assessment (viral diseases)</b>					
Potato leaf roll virus	Nil	0.01	0.1	1	4
Potato virus Y <sup>5</sup>	Nil	0.01	0.1	1	4
Potato virus X	Nil	0.01	0.1	1	4
Potato virus A	Nil	0.01	0.1	1	4
Potato virus S	Nil	0.01	0.1	1	4
Tobacco mosaic virus	Nil	0.01	0.1	1	4
Tomato spotted wilt virus	Nil	0.01	0.1	1	4
Purple top wilt	Nil	0.01	0.1	1	4
<b>Total group 3 virus diseases</b>	Nil	0.01	0.1	1	4
<b>Group 4 foreign cultivars</b>	Nil	0.05	0.10	0.10	0.10

### 3.2 Stages of Inspection

- (a) Normally verification of all the factors affecting seed quality in the field may neither be possible nor necessary in a single inspection. All the contaminating factors may not be apparent or may not occur at the same time in the field, or all of them may not be capable of affecting seed quality at a particular stage of growth. Hence in most crops more than one inspection, phased to cover all the important stages of crop growth is required. The number of inspection and stages of crop growth at which they should be conducted vary from crop to crop depending upon the crop duration, nature of pollination, susceptibility to and type of contamination, disease susceptible stage(s), nature of contaminating factor(s), usual seed production procedure etc.
- (b) The number of inspections as given in the field certification standards are the only minimum, any additional inspection will be beneficial. For convenience, the stages of crop growth at which the inspection are generally made in sexually propagated crops are classified as follows:
- (i) Pre-Flowering Stage: The entire period preceding flowering is obviously the pre flowering stage. However, for inspection, this may be identified into seedling, filtering, growing, flower bud initiation or flag leaf stage, and all such growth phases are recognized before 5 percent or more of panicles, inflorescence or flower(s) have emerged.
  - (ii) Flowering Stage: At this stage, the flowers have opened, the stigma is receptive, and anther is shedding pollen. For example, a seed crop with 5 percent or more of the plants in flower can be considered to have attained this stage.
  - (iii) The receptivity of stigma and pollen shedding of anthers have ended, and the fertilized ovule starts to develop into a seed. This included both the milk stage when the contents of the fertilized ovule are in the form of white milky fluid and the dough stage when the contents are transformed into more solid substance which yields to pressure.
  - (iv) Pre-Harvest Stage: The seed become structurally grown to its size and approaches physiological maturity. The seed is fully filled but is high in moisture content and must dry further to permit easy harvesting, threshing and transport for sale pre-processing storage, either with or without post harvest drying.
  - (v) The seed has reached field maturity, is sufficiently dry to permit safe and easy harvesting and threshing and with some drying can be fit for relatively safe storage. The crop is ready for harvest.
- (c) In vegetatively or asexually propagated crops, stages such as pre flowering, flowering and post flowering are not relevant. For instance in seed potato, these stages are referred to as sprouting, seedling, tuberization, bulking, tuber hardening etc. In root and bulb crops the enlarged root bulb formation stage precedes

flowering, lifting and re-planting are done after complete root/bulb formation. In these crops inspection at lifting and replanting stage is essential.

- (d) In cross pollinating crops, inspections during flowering are essential during flowering to verify freedom from genetic contamination; in self-pollinating crops, inspections during flowering may help in identifying off types.
- (e) If inspection, for instance Seed Borne disease or cross-pollinated crops in flowering stage are to be most effective, they must be made without prior intimation to the seed producer. With the self-pollinated crop where there is no problem of designated seed borne diseases, vegetatively propagated crops, and for lifting and re-planting inspection in root and bulb crops, advance intimation can help in undertaking removal of the contaminating factors and also to reduce subsequently the number of inspections/re-inspections required.
- (f) Inspection of the same field twice on the same day should not be done unless the second inspection on the same day is re-inspection to confirm removal of rectifiable contaminating factors pointed out in the earlier inspection, however a separate supervisory inspection can be made on the same day. This cannot substitute for the routine inspections, but is in addition to them. At least one full night should intervene between two routine inspections of the same seed field. The Certification Inspector is at liberty to conduct inspection of a seed field at any time of the day and during any stage of the crop.

**TABLE 3.1 Requirement of Minimum Number of Field Inspection**

Crop	Minimum Number of Inspection Required	Crop stage for Inspection
<b>ROOT AND TUBER CROPS – POTATO</b>		
Irish Potato	3	First after 35 days after planting, second after 60-65 days after planting for early varieties and about 70-75 days after planting for late varieties and the third before harvesting.
Sweet Potato	2	The first, when the plants are large enough in plant bed, and ready to transplant, and second shortly after transplanting.

### 3.3 Observations During Field Inspections

- (a) Factors to be observed during field inspection vary among crops and their growth stages. Basically, sources of genetical and physical contamination must be observed and the extent of their occurrence estimated.

- (b) Sources of genetic contamination are plants of other varieties of the same species or plants of related species which can pollinate the seed crop. Genetic contamination caused by undesirable pollen cannot ordinarily be detected by visual examination except when Xenia as in maize occurs. Such contamination is frequent in cross-pollinated species. Mechanical admixture by seed of another variety of the same species leads to genetic impurity. This type of contamination is likely in both self- and cross-pollinated crops. In such an admixture, the genotype of the individual crop seed is however not altered. Though the admixture might be visible in the harvested seed, removal of offtype seed is nearly impossible. Genetic contamination and mechanical admixture cannot be rectified without tedious purification process over many generations.
- (c) Sources of physical contamination are seeds of other crops, weeds and those carrying disease causing pathogens. 'This can often be rectified as it may be possible remove to the contaminating seed mechanically.
- (d) Sources of genetic and physical contamination can usually be detected in the field. This may be present within or outside the seed field, but close enough to cross-pollinate and cause mechanical admixture with the seed crop. Their ability to contaminate decreases if their distance from the seed field increases. After a certain distance their presence may not cause any significant contamination in the seed crop. This distance is called the ISOLATION distance, and is specific for each crop species. To ensure that the seed crop is not contaminated, it is necessary to look for sources of contamination both in the seed field and within the isolation distance on all sides. **The sources of contamination can broadly be classified as follows:**
- (a) **Offtype:** is a plant of the same species as the seed crop variety but deviating in morphological characteristics such as root, bulb or tuber features, plant type, branching, pigmentation, hairiness, stem features, leaf shape and arrangement, colour, shape and size of flower and flower parts, and colour size and shape of fruit and seed characteristics such as duration to flowering and maturity, male sterility, resistance to diseases etc. Plants of different varieties are also included under offtypes, but to designate a plant as offtype is always counted so, irrespective of its growth stage. However if the stage of growth of seed crop and offtype differ so widely that contamination cannot possibly occur at any stage, special note is to be made so that the observation is complete. Yet the producer should be advised for their removal. Offtypes not causing contamination during inspection but likely to do so later, must be counted.
- (b) **Pollen Shedder:** This is relevant only where three parental lines i.e. male sterile (A), male fertile maintainer (B), and restorer (R) lines are involved. Plants of "A" and "B" resemble each other in all respect except that "A" line carries cytoplasmic genetic male sterility with dry shrunken, shriveled and thin anthers which shed no pollen and get discoloured soon. "B" line is male fertile with normal, plumb anthers full of pollen grains and retain their colour, shape and size for a longer period. When "A" line is fertilized by "B" line, the seed produced is of male sterile "A" since "A"

helps to maintain “A” line, it is known as the maintainer line. In hybrid seed production, “A” and “R” lines are used as the female and male parents respectively. Their progeny i.e. the hybrid is fertile. Since “R” line restores male fertility to “A” line, it is known as restorer line. Plants of “B” line in the “A” line in (A X B) or (A x R) production is called pollen shedder. Plants not of “B” line but shedding pollens are offtypes. Some times the “A” line tends to exhibit symptoms of fertility i.e cars with fertile anthers occur only on main tiller, on one or more side tillers, or on one side or region of ear, and are also classed as pollen shedders.

- (c) **Shedding Tassel:** In Hybrid maize seed production involving two parental lines this refers to a maize plant of the female parent which has shed or shedding pollen in the female parent rows. For counting during field inspection, a tassel is considered as one shedding tassel in 5cm, or more of the center spike, or side branches or a combination of both, have anthers exerted from their glumes and are shedding or have shed pollen. Tassels which have come out, but not commenced shedding are not counted, but special mention as “not commenced shedding” is made for subsequent inspections to be done sooner. The producer must be advised for their removal before they commence shedding.
- (d) **Inseparable Other Crop Plant:** This is a plant of cultivated crops whose seed are so similar to the seed crop that it is difficult to separate them from the latter economically by mechanical means. It is counted if its growth stage is such that it would bear seed when the seed crop matures and possibly cause mechanical admixture during harvesting and threshing. If its growth stage is so widely difficult that it cannot bear seed by the time the seed crop mature, it need not be counted: but mention to that effect should be made for verification during subsequent inspections and the producer should be advised for their removal.
- (e) **Objectionable Weed Plant:** This is a plant of weed species which is harmful in one or more of the following:
- a) the size and shape of its seed are so similar to crop seed that it is difficult to remove them from the crop seed economically by mechanical means;
  - b) its growth habit has detrimental or competing effects on the crop plant;
  - c) its mode of spread, perpetuation, perennation or growth habit make eradication difficult;
  - d) the plant parts are poisonous or injurious;
  - e) it serves as alternate host for crop pests and diseases, and
  - f) its plant parts are prickly, sticky or thorny interfering in normal agronomical operations.

It is counted if its growth stage is such that it will bear seed when the seed crop matures, and possibly cause mechanical admixture during harvesting and threshing. If its growth

stage is widely different it need not be counted; but mention to that effect should be made for verification in subsequent inspections and the producer should be advised for their removal.

- (f) **Seed Borne Diseases:** Seed may carry disease causing pathogens internally, externally or as contaminant. Economical and effective measures for prevention and control of seed borne infection are available for some and not available for some others. For the later, an effective method to prevent seed transmission of the pathogen is to ensure that seed suspected to carry pathogens is not mixed with pathogen free seed. Observations should therefore be made for such diseases.

#### 4.0 Taking Field Count

It may not be possible to examine all the plants in the seed field. Therefore, a system of random check and count is to be followed to derive a representative sample of the crop. The number of counts taken and the method of taking counts vary from crop to crop. However, for all crops, five counts are taken of any area up to two hectares and an additional count is taken for every additional two hectare as given below:

**TABLE: 4:1 Number of Counts During Field Inspection**

Area of the field (Ha)	Number of counts to be taken
Upto 2	5
Above 2 upto 4	6
Above 4 upto 6	7
Above 6 upto 8	8
Above 8 upto 10	9 and so on

#### 4.1 Procedure for Counting Heads/Plants

##### 4.1.1 Wide space row crops (Okra, Solanum, Bulb crops, Pepper, Cotton, Cucurbits, Groundnut, Seed Potato, Root Crops, Tomato etc)

- (a) Enter the seed field at a randomly selected site from any side and move in the direction of the rows.
- (b) at random from any point in any row take count ten consecutive plants in that row;
- (c) Count the number of offtypes, inseparable other crop plants, weed plants, and plants affected by designated diseases within these ten plants.
- (d) Cross over the pre-determined number of rows and again start counting ten plants from a point nearly parallel to the last plant counted in the previous row; again count the factors mentioned above; repeat the process until 100 have been examined; this complete one count,
- (e) Repeat the entire process until the number of counts required for the field are made.

#### 5.0 Reporting Observations on Field Inspection

Report observations on prescribed field inspection report proforma which are self-explanatory, and also prepare field map if necessary and if there is problem of isolation for the seed crop.

## 5.1 Comparison of Field Observations with Minimum Seed Certification Standards

### 5.1.1 Comparison for Isolation Requirements

- a. A seed crop conforms to the prescribed isolation requirements if isolation distance in meters is at least the minimum required. A seed crop does not conform to isolation requirements if any contaminant listed in the NMSCS is found within the isolation distance and at the same or nearly the same stage of growth as the seed crop.
- b. A seed crop with a contaminant within the isolation distance is not rejected if the growth stages are as such that contamination will not occur. The seed crop is rejected in parts or full as may be necessary if the stages favour the likelihood of contamination, such as the flowering stage in cross pollinated crops and the crops affected by designated seed borne diseases, or the pre-harvest stage in self pollinated and vegetatively propagated crops. In such cases the area in the seed field within the prescribed isolation distance from the contaminant is liable for rejection.

### 5.1.2 Comparison for Specific Requirements:

1. A seed crop conforms to the prescribed requirements when the average percentage of the field counts for each factor is equal or less than the maximum prescribed percentage for that factor. When the percentage for a factor in the first set of counts is more but not more than twice the maximum percentage prescribed, a second set of counts is made and recorded in the inspection report. Example for calculating the average percentage of factors observed by field counts are given below:
2. Example for calculating the average percentage of factors observed by field counts are given below:

#### All Crops:

Area of the field ; 2ha

Number of counts : 5 (1000 heads or plants, 500 or 100 plants per count depending on the crop.)

Off-types, inseparable other crop plants, objectionable weed plants or plants/heads affected by designated diseases:

No. of Plants/Heads counted	No. of plants/heads
First set of 5 counts	A
Second set of 5 counts	B
Total of 10 counts	A+ B

Percentage =	$\frac{C + D}{\text{-----}} \times 100$ <p>Total heads/plants in ten counts</p>
--------------	---

If this percentage exceeds the maximum permitted in the standards, the crop is rejected.

3. In the above, the percentage for deciding acceptance or rejection is calculated only to the number of decimals in which the standard is expressed, i.e. if the standard for a particular factor is 0.50% (two decimal) the percentage for that factor is also worked out up to two decimals only.

The above procedure is followed when inspection Seed Certification report indicates normal field counts. However, the Inspector may sometimes observe defects which do not come in the field counts. Under such situation, the following procedure is suggested:

- (a) When patches or rows of off-types, shedders, shedding tassels, objectionable weeds, inseparable other crop plants or plant/heads affected by designated diseases are noticed but do not come under the field counts, separable observations such as the size of the patch, number of rows, length of row, total number of plants/heads involved etc. should be made and reported and shown in the map. The Certification inspector should exercise judgment and attempt to save the crop from rejection by advising the producer to remove the defective patch. The contaminated portion of the field must be described on the inspection report. The NASC shall consider each situation individually and decide.
- (b) If the male and female parents in seed production involving two parents have been irregularly planted and the seed field then is merely an admixture of the two parents, the Certification inspector should note this on the inspection report and show it as liable for rejection.
- (c) If the seed crop is sown as mixed, inter or companion crop or as raton, the Certification inspector should note this on the inspection report and show it as liable for rejection, except when permitted.
- (d) If the seed crop has failed partially or completely, or is damaged by cattle, flood, drought etc. or the producer has decided to treat it as a commercial crop for any reason, inspection report should still be prepared and distributed as usual. The Certification inspector should confirm in writing on the inspection report from the producer that he is not interested in submitting the seed crop for further inspections. If the producer is not willing to confirm this in writing, continue further inspections; the rejection letter is issued only if the crop does not conform to the prescribed standards. Partial or complete crop failure from agronomic consideration does not

make the crop ineligible for approval unless the producer is unwilling or is not interested in further inspections.

- (e) When isolation of the seed crop is unsatisfactory, instruct the producer to harvest the affected area, and call the Certification inspector to verify that the area affected due to isolation has been harvested. The producer then harvests the portion with satisfactory isolation without further inspections. If the producer harvests the isolation affected area along with the seed crop or harvest affected areas without calling for an inspection prior to harvesting the crop, the entire harvested produce is liable to be rejected if admixture is suspected.

### **7.0 Field Area for Certification**

There is no minimum or maximum limit for the area to be offered by a person for certification provided the certified seed production meets all the prescribed requirements.

### **8.0 Unit of Certification**

For the purpose of field inspection, the entire area planted under seed production by an individual shall constitute one unit provided:

- 8.1 the entire area is under one variety;
- 8.2 it does not exceed ten hectares;
- 8.3 it is not divided into field separated by more than fifty metres between them;
- 8.4 it is planted with or is meant to produce seed belonging to the same class and stage in the generation chain;
- 8.5 the crop covering the entire area is more or less of the same stage of growth so that the observations made are representative of the entire crop;
- 8.6 the total area planted, by and large, corresponds to the quantity of seed reported to have been used; and the NASC's permission had been obtained to cover a larger area by economizing on seed rate if that be the case;
- 8.7 it is raised strictly as a single crop and never as mixed crop;
- 8.8 not so heavily and uniformly lodged that more than the one third population is trailing on the ground leaving no scope for it to stand up again, thus making it impossible for Certification Authority to inspect the seed crop at appropriate stage of growth in the prescribed manner;
- 8.9 as far as possible, it is so maintained as to show adequate evidence of good crop husbandry thereby improving the reputation of certified seed.

### **9.0 Field Inspection/Re-Inspection**

Field inspection work which required the technically trained personnel shall be performed by the persons who have been so authorized by the NASC. The following shall strictly be observed:

- ✓ Field inspection meant to verify those factors which can cause irreversible damage to the genetic purity or seed health shall be conducted without prior notice to the seed producer;

- ✓ Soon after the completion of field inspection, a copy of the report shall be handed over to the seed producer or his representative;
- ✓ Seed fields not conforming to the prescribed standards for certification at any inspection, the NASC shall on the request of the producer and after he removes the contamination in the seed field and within the prescribed isolation distance and/or the contaminated plants in the seed field (if so directed by the NASC) perform one or more re-inspection provided such removal can ensure conformation of the seed crop to the prescribed standards and provided further that no irreversible damage has been caused to the quality of the seed by the contaminants. The NASC may at its discretion, also perform one or more re-inspection over and above the minimum number of inspections prescribed if considered necessary.

### **10.0 Harvesting, Threshing and Transportation**

Seed crop meeting field standards for certification shall be harvested, threshed and transported to the seed processing plant in accordance with the guidelines issued by the NASC. During these operations, the seed producer will take all precautions to safeguard the seed from admixture and other causes of seed deterioration.

### **11.0 Seed Processing and Packaging Schedule**

The NASC shall prepare and communicate seed processing and packaging schedule to all the certified seed producers soon after the certification of the crops at field stage. The seed producer shall adhere to the schedule specified by the Certification Authority. However, re-scheduling may be accepted by the Certification Authority on the request of the seed producer on genuine grounds.

#### **11.1 Seed Lot/Lot Size**

A seed lot is a physically identifiable quantity of seed which is homogeneous, and would represent any quantity of the agricultural seeds up to a maximum of 20,000kg for the seed of the size of rice or larger (except for maize seed, seed potato, sweet potato and yam for which the maximum size of the lot may be 40,000kg), and 10,000kg for seeds smaller than rice subject to the tolerance limit of 5%. The quantities in excess of the above maximum limits shall be subdivided and separate lot identification shall be given.

#### **11.2 Construction of Seed Lot Number**

Each seed lot shall be assigned a specific number in order to facilitate maintaining its identity, tracing back to its origin, handling in store and transit, accounting and inventory maintenance and referring/communicating about a certain quantity of seed.

#### **11.3 Seed Processing**

Seed processing means drying, cleaning, grading, treating, packaging and other operations which will improve the physical quality of seeds. Seed from fields which conformed to the standards of certification at field level shall, as soon as possible after the harvest be brought to the processing plant for processing operations. Screen aperture sizes as specified shall be used for cleaning and grading of seeds so that typical contaminants such as weed seeds, small seeds, damaged seeds, broken and shrivelled seeds, straw, chaff, leaves, twigs, stones, soil particles etc. are removed. However, the NASC is authorized to

deviate under exigencies to use the screen of small aperture size than specified and record the reason there for. Processed seed shall not have seed of the lower size than the bottom screen used beyond 5% by weight.

**11.4 Seed Treatment**

A variety under certification if susceptible to seed-borne-disease or seeds which are carrying seed-borne pathogen, and if no treatment to control such disease or pathogen is available, the Certification Authority may require to subject such seed lots to seed treatment before certification. In case it is required to treat the seed before sowing by the user the chemical calculated at the recommended dose shall be kept in a plastic packet and placed inside the seed container with complete instructions and precautions required for treating the seed. The information about the seed treatment shall also be displayed on the seed containers. If the seed is treated the following instructions shall also be compiled with:

- a) a statement indicating that the seed has been treated;
- b) if the substance of the chemical used is harmful to human beings or other vertebrate animals, a caution statement such as *“Do not use for food, feed or oil purposes”* must be super scribed on containers. The word *POISON* in type size shall be printed on the label prominently in red ink if the seed is treated with mercurial or toxic substances.

**11.5 Sampling of Seed Lots**

Soon after the completion of seed processing or after the seed treatment, the Certification Authority shall draw a representative composite sample as per the **ISTA** procedure of seed sampling. The quantity of seed samples so drawn shall be sufficient to provide three samples of the size of submitted sample. The composite sample will be divided into three equal parts. One shall be sent for analysis in the designated Official Seed Testing Laboratory, the second for preservation as guard sample with the *NASC* and the third to the seed producer.

**11.6 Seed Analysis Report**

The seed testing laboratory shall analyze the seed sample in accordance with the procedure and deliver the seed analysis report to the *NASC*, but not later than 30 days from the date of receipt of the samples unless the seed is subjected to such tests which require more than 30 days for completion of the test.

**11.6.1 Grow Out Test/Seed Standards of Genetic Purity**

All certified seed lots shall conform to the following minimum standards for genetic purity, or otherwise prescribed:

Class of Seed	Minimum standard for Genetic purity (%)
Foundation Seed	99.00
Certified Seed - Varieties, composites, synthetics, multiline	98.00

- Hybrids	95.00
-----------	-------

The NASC shall conduct grow out test to determine the genetic purity of a seed lot wherever it is a prerequisite for grant of certificate, and also on the seed lots where doubt has arisen about.

The NASC shall conduct grow out test to determine the genetic purity of a seed lot wherever it is a prerequisite for grant of certificate, and also on the seed lots where doubt has arisen about the genetic purity. The grow out test can be complemented by related laboratory tests.

#### **11.6.2 Recleaning, Re-Sampling and Retesting**

When a seed lot does not meet the prescribed standards, the NASC on the request of the seed producer may permit recleaning, re-sampling and retesting only once.

#### **11.6.3 Seed Standard for Insect Damage and Moisture Content**

A seed lot under certification shall not have apparent or visible evidence of damage by insects for both foundation and certified seed classes in excess of 1.0% for the seed of rice and legumes and 0.50% for the other kinds of seeds unless otherwise prescribed. Seed standards in respect of moisture content as prescribed shall be met at the time of packaging.

#### **11.6.4 Down Grading Class of Seed**

If a seed field or a seed lot is not found meeting prescribed standards for the class of which it has been registered, but conforms to the prescribed standards to the immediate lower class, the NASC may accept such seed fields/lots for certification to the lower class provided the request has been made to this effect by the seed producer. However, down grading of the class of seed shall not be applicable in the case of hybrids and their parental lines.

#### **12.0 Packaging, Tagging, Sealing and Issuance of Certificate**

On receipt of the seed analysis report and the result of the grow out test wherever applicable, and if a seed lot has met prescribed standards, the NASC shall ensure packaging, tagging, sealing and issuance of certificate expeditiously. An **authorized official** of the NASC shall endorse the signature on the reverse of each certification tag and shall affix rubber stamp indicating the official's name and designation. Containers to be used for packing of certified seed shall be vapour or non-vapour proof according to moisture content in seeds, durable and free from defects.

#### **13.0 Refusal for Certification**

The NASC shall have the authority to refuse certification of any seed production field or any seed lot that does not conform to the minimum standards prescribed for the particular crop either for field standards or seed standards or both. Such refusal will be subject to any appeal made to the

#### **14.0 Validity Period of Certificate**

The validity period shall be six months from the date of test for initial certification. The validity period could be further extended for three months provided on retesting seed lot conforms to prescribed standards in respect of physical purity, germination and insect damage for all seeds except vegetatively propagated materials for which the seed lot may be re-examined for the seed standards specified for the respective crop. The seed lot will be eligible for extension of the validity period as long as it conforms to the prescribed standards.

#### **15.0 Revocation of Certificate**

(SRR: 36)

If the NASC is satisfied, either on reference made to it in this behalf or otherwise that:

- a) the certificate granted by it under section 12(3) of the Seeds Act has been obtained by misrepresentation as to essential facts; or
- b) the holder of the certificate has, without reasonable cause, failed to comply with the conditions subject to which the certificate has been granted or has contravened any of the provisions of the Act or the rules made there under, without prejudice to any other penalty to which the holder of the certificate may be liable under the Seeds Act the NASC may, after giving the holder of the certificate an opportunity of showing cause revoke the certificate, under the provisions of Section 15 of the Seeds Act.



Km 29 Abuja Lokoja Expressway  
Sheda, FCT  
Tel: +2348113887697  
Email: [info@seedcouncil.gov.ng](mailto:info@seedcouncil.gov.ng)

